

Approximate Capacities at Various Pressures						
Rated Flow at 100 P.S.I. G.P.H.	U.S. Gallons per Hour					
	Pressure P.S.I.					
	125	145	175	200	250	300
0.40	0.45	0.48	0.53	0.57	0.63	0.69
0.45	0.50	0.54	0.60	0.64	0.71	0.78
0.50	0.56	0.60	0.66	0.71	0.79	0.87
0.55	0.61	0.66	0.73	0.78	0.87	0.95
0.60	0.67	0.72	0.79	0.85	0.95	1.04
0.65	0.73	0.78	0.86	0.92	1.03	1.13
0.75	0.84	0.90	0.99	1.06	1.19	1.30
0.85	0.95	1.02	1.12	1.20	1.34	1.47
0.90	1.01	1.08	1.19	1.27	1.42	1.56
1.00	1.12	1.20	1.32	1.41	1.58	1.73
1.10	1.23	1.32	1.46	1.56	1.74	1.91
1.20	1.34	1.45	1.59	1.70	1.90	2.08
1.25	1.40	1.51	1.65	1.77	1.98	2.17
1.35	1.51	1.63	1.79	1.91	2.13	2.34
1.50	1.68	1.81	1.98	2.12	2.37	2.60
1.65	1.84	1.99	2.18	2.33	2.61	2.86
1.75	1.96	2.11	2.32	2.47	2.77	3.03
2.00	2.24	2.41	2.65	2.83	3.16	3.46
2.25	2.52	2.71	2.98	3.18	3.56	3.90
2.50	2.80	3.01	3.31	3.54	3.95	4.33
2.75	3.07	3.31	3.64	3.89	4.35	4.76
3.00	3.35	3.61	3.97	4.24	4.74	5.20
3.50	3.91	4.21	4.63	4.95	5.53	6.06
4.00	4.47	4.82	5.29	5.66	6.32	6.93
4.50	5.03	5.42	5.95	6.36	7.12	7.79
5.00	5.59	6.02	6.61	7.07	7.91	8.66
5.50	6.15	6.62	7.28	7.78	8.70	9.53
6.00	6.71	7.23	7.94	8.49	9.49	10.4
6.50	7.27	7.83	8.60	9.19	10.3	11.3
7.00	7.83	8.43	9.26	9.90	11.1	12.1
7.50	8.39	9.03	9.92	10.6	11.9	13.0
8.00	8.94	9.63	10.6	11.3	12.6	13.9
9.00	10.1	10.8	11.9	12.7	14.2	15.6
10.00	11.2	12.0	13.2	14.1	15.8	17.3
11.00	12.3	13.2	14.6	15.6	17.4	19.1
12.00	13.4	14.5	15.9	17.0	19.0	20.8
13.00	14.5	15.7	17.2	18.4	20.6	22.5
14.00	15.7	16.9	18.5	19.8	22.1	24.2
15.00	16.8	18.1	19.8	21.2	23.7	26.0
16.00	17.9	19.3	21.2	22.6	25.3	27.7
17.00	19.0	20.5	22.5	24.0	26.9	29.4
18.00	20.1	21.7	23.8	25.5	28.5	31.2
20.00	22.4	24.1	26.5	28.3	31.6	34.6
22.00	24.6	26.5	29.1	31.1	34.8	38.1
24.00	26.8	28.9	31.7	33.9	37.9	41.6
26.00	29.1	31.3	34.4	36.8	41.1	45.0
28.00	31.3	33.7	37.0	39.6	44.3	48.5

Oil Standards: 3.4 cst. viscosity, .84 density @ 20 C per EN 293